



TEL: 09 579-8895
FAX: 09 579-2933
EMAIL: sales@nzfiredoors.co.nz

NZ Fire Doors Ltd,
89 Gavin Street, Ellerslie,
PO Box 12709, Penrose 1642,
Auckland, New Zealand.
www.nzfiredoors.co.nz

Data sheet


I-60-TW: Interior timber-framed 60 minute FRR windows, single glazed

The I-60-TW is NZFD's interior 60 minute fire-rated window unit in a hardwood timber frame. It is available in a wide range of pane combinations and is usually made to order. Each pane is generally manufactured separately for ease of transport and on-site handling (weight and size), then assembled on site. Depending on size, pre-built multiple pane units are available ex-factory.

Your choice of glass affects available pane sizing and fire rating options. Double Glazed Units can be made to order with fire rated glass. Please contact a member of our sales team to discuss and confirm specific pane sizing and design and pricing details


I-60-TW: Interior timber-framed 60 minute FRR windows, single glazed

- Max overall combined height 6000 mm.
- 45 mm timber jambs.
- No limit to overall width, multiple units joined.
- Recommended optional mid rail – consider the manifestation needs for safety purposes.
- A grade safety glass.
- Superior acoustic and thermal properties.




GLAZING BEAD OPTIONS


Square bead, glass centered




Square bead, glass to front



Bevel bead, glass centered




Bevel bead, glass to front




-/60/30 Timber Window



Single Pane



Double Pane




Joined Window / Sidelight




-/60/60 Timber Window



Single Pane



Double Pane



Joined Window / Sidelight



[Download the Technical Compliance Statement](#)